Pape	er 1MA1	l: 2H			
	Question Working		Answer		Notes
1			Translation by $\binom{4}{-3}$	B1	for translation
			37	B1	$\binom{4}{-3}$
2	(a)		Trend described	C1	for "percentage of people who use the shop decreases" oe
	(bi)		13 - 17	P1	for process to draw trend line on graph
				A1	for 13 - 17
	(bii)		No + reason	C1	for comment, eg "no, because 2020 is beyond the time period covered by the given data"
3	(a)		13 <i>y</i> – 1	M1 A1	for expansion of one bracket for full simplification
	(b)		$35u^3w^7$	B1 B1	for 2 of 35, u^3 and w^7 correct cao
4			105	P1	for process to find the exterior angle or interior angle of a hexagon or octagon
				P1	for process to find the both exterior angles or both interior angles
				A1	for 105 from correct working

Paper 1MA1				
Question Working		Answer		Notes
5 (a)(i)		10, 12, 14, 15, 16, 18	B1	cao
(ii)		12, 18	B1	cao
(b)		$\frac{7}{10}$	M1	for 7 or indicating correct region or for 10, 14, 16, 11, 13, 17, 19 listed
			A1	for $\frac{7}{10}$ oe
6	6:5 = 12:10 2:1 = 10:5	70	P1	P1 for strategy to start to solve the problem eg 12 : 10 and 10: 5
	C: S: P = 12: 10: 5		P1	P1 for process to solve the problem $eg \frac{10}{27} \times 189$
	$\frac{10}{27} \times 189$		A1	A1 cao
7	$\frac{1}{4} \times \pi \times 4.8^2$	6.58	B1	for use of formula for area of a circle
	$\frac{1}{2} \times 4.8 \times 4.8$		P1	for complete process to find area of shaded region
	$\frac{1}{4} \times \pi \times 4.8^2 - \frac{1}{2} \times 4.8 \times 4.8$		A1	for 6.56 – 6.58

Paper 1MA1: 2H					
Qı	Question Working		Answer		Notes
8	(a)		explanation	C1	for "incorrect expansion of brackets" oe
	(b)		explanation	C1	for "has not obtained both solutions" oe
9	(a)		18	B1	cao
	(b)		5(x-1)	M1 A1	for method to find inverse function for $5(x-1)$ or $5x-5$
	(c)		9 <i>x</i> – 48 shown	M1 A1	for method to find composite function for working leading to $9x - 48$
10	(a)	$1560000 \times (1.052)^2$	1730000	P1 P1 A1	for process to find population in 2016 for complete process to find population in 2017 for 1725000 - 1730000
	(b)(i)		2020	P1 A1	for process to find when population will exceed 2 000 000 for 2020
	(ii)			C1	for correct comment on how assumption will affect the answer, eg if the percentage growth is higher the population may exceed 2 000 000 earlier.

Paper 1MA1	1: 2H		
Question	Working	Answer	Notes
11 (a)		0.43	M1 for use of graph at 240 minutes A1 for 0.42 – 0.44 oe
(b)		comparison	B1 for at least one median (249 – 252 or 273 – 276) B1 for least one interquartile range (69 – 73 or 67 - 71) C1 for comment comparing average times eg females take longer than males oe C1 for comment comparing spreads of times from IQRs, eg the spread of times is about the same (NB – at least one of the comments must be in context)
12 (a)	25 × 24	600	P1 for process to find number of ways A1 cao
(b)	$12 \times 10 \times 11$ $10 \times 12 \times 9$ 1320 + 1080	2400	P1 for process to find number of lists with boy then girl then boy or the number of lists with girl then boy then girl P1 for complete process to find the total number of lists A1 cao

Paper 1MA1	: 2H			
Question	Working	Answer		Notes
13		119	M1	for 1.06 × 100 oe
			M1	for $1.06^3 \times 100$ oe
			A1	accept 119.1016
14		explanation	C1	for a correct evaluation, eg the value of D should be multiplied by 8, she has used 2×3 instead of 2^3
15 (a)		1.0 – 1.3	M1	for finding gradient by drawing tangent
			M1	for method to calculate gradient
			A1	For 1.0 – 1.3
(b)			C1	for acceleration
(0)			C1	for eg " 4 second after the start of the race", "when the speed is 7.6 m/s", "in m/s ² "
(c)		limitation	C1	for comment, eg dependent on accuracy of constructing a tangent
16 (i)		200	B1	cao
(ii)		5.6	B1	For 5.6(2)

Paper 1MA	1: 2H			
Question	Working	Answer	Notes	
17	$\sqrt{8.35^2 - 6.05^2}$	5.754997828	B1 for finding bounds of one measurement,8.25 8.35, 6.05 or 6.15	
			P1 for process of choosing and using correct bounds	
			P1 for process of Pythagoras' rule with correct bounds	
			A1 for 5.754(997)	
18	$(\sqrt{a} + 2\sqrt{b})(\sqrt{a} - 2\sqrt{b})$	a-4b	M1 for expansion of brackets or $\sqrt{4b} = 2\sqrt{b}$	
	$(\sqrt{a} + 2\sqrt{b})(\sqrt{a} - 2\sqrt{b})$ $\sqrt{a} \times \sqrt{a} - 2\sqrt{a}\sqrt{b} + 2\sqrt{b}\sqrt{a} - 2\sqrt{b} \times 2\sqrt{b}$		M1 for a or $(-4b)$	
			A1 cao	
19 (a)		sketch	B1 for correct shape for $0 \ \mathbb{Z} \times \mathbb{Z} \times 360$	
			B1 for fully correct sketch with labels	
(b)(i)		sketch	B1 cao	
(ii)		sketch	B1 cao	

Paper 1MA1: 2H				
Question	Working	Answer		Notes
20	\square $TSU = 360 \div 5$ (=72) Exterior angles of a polygon add up to 360°	proof	M1	for method to find interior or exterior angle of regular pentagon
	② QRO = ② OTP = 90 The tangent to a circle is perpendicular (90°) to the radius (diameter)		M1	for using angle between tangent and radius
	$2 ROT = 540 - 2 \times 90 - 2 \times 108 (= 144)$		M1	for method to find angle ROT
			C1	for method to find angle RUT with reason
	Base angles of an isosceles triangle are equal		C1	for deduction that $ST = UT$ with reasons
21	$\frac{2x-1}{x-4} = \frac{16x+1}{2x-1}$	$\frac{1}{12}$, 5	P1	for process to write as an equation
	$(2x-1)^2 = (16x+1)(x-4)$	12	P1	for process to clear the fractions
	$12x^2 - 59x - 5 = 0$		P1	for process to write equation in form $ax^2 + bx + c = 0$
	(12x+1)(x-5) = 0		P1 A1	for process to solve the equation cao