

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |         |                |      |  |
|--|-----|---------|----------------|------|--|
| Question   |     | Working | Answer         | Mark | Notes  |
| 1.   | (a) |         | Hexagon        | 1    | B1 cao   |
|  | (b) |         | 8              | 1    | B1 cao   |
| 2.   | (a) |         | 15 minutes     | 2    | B1 15<br><br>B1 (indep) minutes  |
|  | (b) |         | 3 05           | 2    | M1 for intention to add 10 minutes and 55 minutes to 2 o'clock<br><br>A1 3 05 (oe)   |
|  | (c) |         | No with reason | 2    | M1 for a method to add 75 minutes to '3 05' or to work out the difference between '3 05' and 4 pm or to subtract 75 minutes from 4 pm<br><br>C1(dep M1) for conclusion based on appropriate working and correct time calculations, ft from (b) |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |         |               |      |   |
|--|-----|---------|---------------|------|---|
| Question   |     | Working | Answer        | Mark | Notes   |
| 3.   | (a) |         | 126, 21       | 3    | B1 for 126 (seats)<br><br>M1 for method identified to divide number of people by 6,<br>e.g. “126” $\div$ 6 or $84 \div 6 (= 14)$ or $42 \div 6 (=7)$<br><br>A1 for 21 (tables)  |
|  | (b) |         | Yes with £483 | 3    | M1 for $84 \times 4.5(0) (= 378)$ or $42 \times 2.5(0) (= 105)$<br><br>M1 for $84 \times 4.5(0) + 42 \times 2.5(0)$ or “378” + “105”<br><br>A1 for e.g. yes <b>and</b> (£)483 <b>or</b> yes <b>with</b> (£)17 left          |
| 4.   | (a) |         | 11            | 1    | B1 cao  |
|  | (b) |         | 18            | 2    | M1 for subtracting 13 and multiplying 6 in any order<br><br>A1 cao  |
| 5.   | (a) |         | Newcastle     | 1    | B1 cao  |
|  | (b) |         | 3             | 1    | B1 cao  |
|  | (c) |         | –1            | 2    | M1 for intention to find middle of –5 and 3<br><br>e.g., may see –5 and 3 identified on a correct number line<br><b>or</b> $(-5 + 3) \div 2$ <b>or</b> $-5 + (3 - -5) \div 2$ <b>or</b> $3 - (3 - -5) \div 2$<br><br>A1 cao |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |  |                            |      |   |
|--|-----|--|----------------------------|------|---|
| Question   |     | Working  | Answer                     | Mark | Notes   |
| 6.   |     | Food Mart:<br>10 pots cost 3.60<br><br>Jim's Store:<br>10 pots cost $3.15 + 35p = £3.50$ | Jim's store<br>with reason | 3    | M1 for $180 \div 5$ oe or $105 \div 3$ (oe) or 36 or 35 (oe) seen<br><br>A1 36 and 35 or 0.36 and 0.35<br><br>A1 for correct decision based on their values, dependent on M1 scored |
| 7.   |     | $5 \times 2$   | 10                         | 1    | B1 cao  |
| 8.   |     | $7120 \div 8$  | 890                        | 2    | M1 for $7120 \div 8$ or $7120 \div 480$<br><br>A1 cao   |
| 9.   | (a) | $x^2 + 4x + 7x + 28$   | 13                         | 1    | B1  |
|  | (b) |  | $7e + 4f$                  | 2    | B2 (B1 for $7e$ or $4f$ )   |
|  | (c) |  | $3(2w + 5)$                | 1    | B1  |
|  | (d) |  | $x^2 + 11x + 28$           | 2    | M1 for 3 correct terms out of 4 or for 4 correct terms, ignoring signs<br><br>or for $x^2 + 11x + c$ for any non-zero value of $c$<br>or for $\dots + 11x + 28$<br><br>A1           |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |      |   |                     |      |   |
|--|------|---|---------------------|------|---|
| Question   |      | Working   | Answer              | Mark | Notes   |
| 10.  | (i)  | $160 - 90 = 70$ ;<br>$180 - 90 - 70$<br>or<br>$180 - 160$ | 20                  | 3    | M1 for $180 - 90 - (160 - 90)$ or $180 - 90 - 70$<br>or $180 - 160$ (oe)<br><br>A1 cao  |
|  | (ii) |   | Geometric reasoning |      | B1 for <u>angles</u> in a <u>triangle</u> add up to <u>180°</u> or <u>alternate angles</u> are equal  |
| 11.  | (a)  | $\frac{9}{15}$  | $\frac{3}{5}$       | 2    | M1 for $\frac{9}{15}$ or $\frac{a}{15}$ or $\frac{9}{b}$<br><br>A1 cao  |
|  | (b)  |   | 4                   | 2    | M1 for a process to reduce by 2 shaded triangles and 1 unshaded triangle<br><br>or $2 \times a$ and $1 \times a$ where $a = 2, 3, 4$ or $5$<br><br>A1 cao |
| 12.  | (a)  |   | $p^6$               | 1    | B1 cao  |
|  | (b)  |   | $t^5$               | 1    | B1 cao  |
|  | (c)  |   | 6                   | 1    | B1 cao  |
|  | (d)  |   | 4                   | 1    | B1 cao  |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |   |    |   |   |    |      |  |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
|--|-----|---|----|---|---|----|------|--|---|---|---|---|-----|----|----|---|---|----|--------------|--|---|---|--|
| Question   |     | Working   |    |   | Answer  |    | Mark | Notes  |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
| 13.  |     |   |    |   | 1.9 km or 1900 m  |    | 3    | M1 for $1.25 \times 1000$ (= 1250) <b>or</b> $650 \div 1000$ (= 0.65)<br><br>M1 for “1250” + 650 or $1.25 + ”0.65”$<br><br>A1 for 1.9 km or 1900 m |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
| 14.  |     | <table border="1"><tr><td>x</td><td>-2</td><td>-1</td><td>0</td><td>1</td><td>2</td><td>3</td></tr><tr><td>y</td><td>-10</td><td>-6</td><td>-2</td><td>2</td><td>6</td><td>10</td></tr></table> |    |   | x   | -2 | -1   | 0  | 1 | 2 | 3 | y | -10 | -6 | -2 | 2 | 6 | 10 | correct line |  | 3 | M1 for at least 2 correct attempts to find points by substituting values of x.<br><br>M1 ft for plotting at least 2 of their points (any points plotted from their table must be correct)<br><br>A1 for correct line between -2 and 3 |  |
| x  | -2  | -1  | 0  | 1 | 2   | 3  |      |  |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
| y  | -10 | -6  | -2 | 2 | 6   | 10 |      |  |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
| 15.  | (a) |   |    |   | 1,5, 1,6, 1,7, 1,8,<br>2,5, 2,6, 2,7, 2,8,<br>3,5, 3,6, 3,7, 3,8,<br>4,5, 4,6, 4,7, 4,8 |    | 2    | B2 for all 16 combinations (accept 1,5 etc. and ignore repeats)<br><br>(B1 for at least 4 correct combinations)                                    |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |
|  | (b) | $P(\text{Jean wins}) = \frac{6}{16}$<br><br>$\frac{6}{16} \times 80$  |    |   | 30  |    | 3    | B1 for $P(\text{Jean wins}) = \frac{6}{16}$ oe<br><br>M1 for ‘ $\frac{6}{16}$ ’, $\times 80$<br><br>A1 cao   |   |   |   |   |     |    |    |   |   |    |              |  |   |   |  |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |                        |                      |      |   |
|--|-----|------------------------|----------------------|------|---|
| Question   |     | Working                | Answer               | Mark | Notes   |
| 16.  | (a) |                        | $c^8 k^{20}$         | 1    | B1  |
|  | (b) | $12x^2 - 3x + 20x - 5$ | $12x^2 + 17x - 5$    | 2    | B2 for fully correct<br><br>(B1 for 3 out of 4 terms correct in working including signs OR 4 terms correct, ignore signs. In a grid the 20x need not be signed) |
|  | (c) | $(x - 5)(x + 2) = 0$   | 5 and -2             | 3    | M1 for $(x \pm 5)(x \pm 2)$<br><br>A1 for $(x - 5)(x + 2) (= 0)$<br><br>B1 ft (dep on M1) for $x = 5$ and $-2$  |
| 17.  |     |                        | $36.5 \leq H < 37.5$ | 2    | B1 36.5<br><br>B1 37.5  |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |  |  |        |      |   |
|--|--|--|--------|------|---|
| Question   |  | Working  | Answer | Mark | Notes   |
| 18.  |  | $425 \div 17 = 25$<br>Flour : $8 \times 25 = 200\text{g}$<br>Butter : $4 \times 25 = 100\text{g}$<br>Jam : $5 \times 25 = 125\text{g}$<br>Total weight for 200 rolls:<br>$= \text{total grams} \times 200 \div 1000$<br><br>Flour: $200 \times 0.2 = 40\text{ kg}$<br>Butter : $100 \times 0.2 = 20\text{ kg}$<br>Jam : $125 \times 0.2 = 25\text{ kg}$<br><br>Total cost = $40 \times 40\text{p}$<br>$+ 20 \times \text{£}2.50 + 25 \times \text{£}1$<br>$= \text{£}16 + \text{£}50 + \text{£}25$ | 91     | 6    | M1 for $425 \div '8+4+5'$ or 25 seen<br><br>M1 for two of $8 \times 25 (= 200,)$ $4 \times 25 (= 100),$ $5 \times 25 (= 125)$<br><br>M1 for two of ' $200$ ' $\times 200 (= 40\ 000),$<br>' $100$ ' $\times 200 (= 20\ 000)$ ' $125$ ' $\times 200 (= 25\ 000)$<br><br>M1 for converting g to kg (at least two ingredients)<br>$(= 40, 20, 25)$<br><br>M1 for ' $40$ ' $\times 40\text{p} + '20' \times \text{£}2.50 + '25' \times \text{£}1$<br>$(= \text{£}16 + \text{£}50 + \text{£}25)$<br><br>A1 for 91 or 91.00 |
| 19.  |  |  | 80     | 4    | B1 for $EBF = 50$ or $ABE = 50$<br><br>M1 for angles given that can lead to $x = 80$ as the next step<br>e.g. $EBF = 50$ and $ABE = 50$<br>e.g. $EBF = 50$ and $BFG = 100$<br>e.g. $EBF = 50$ and $BFE = 80$<br>e.g. $EBF = 50$ and $DEB = 130$ and $ABE = 50$<br><br>A1 cao<br><br>C1 for stating correct reasons appropriate to their method shown  |

| 1MA1 Practice papers Set 4: Paper 3F (Regular) mark scheme – Version 1.0 |     |  |  |      |  |
|--|-----|--|--|------|--|
| Question   |     | Working  | Answer                                   | Mark | Notes  |
| 20.  | (a) |  | 0.8 on 1st branch                        | 2    | B1 0.8 (oe) on 1st branch  |
|  | (b) | $0.2 \times 0.3$   | 0.3 and 0.05 on 2nd branches<br><br>0.06 | 2    | B1 0.3 and 0.05 (oe) on 2nd branches<br><br>M1 $0.2 \times '0.3'$<br><br>A1 0.06 ft from '0.3' in the tree diagram   |
| 21.  |     | use of cos<br><br>$\cos('x') = \frac{8.3}{9.5} (=0.87\dots)$<br><b>or</b><br>$('x' =) \cos^{-1}\left(\frac{8.3}{9.5}\right)$ | 29.1                                     | 3    | M1 use of cosine (must be selected for use in trig ratio <b>NOT</b> cosine rule)<br><br><b>or</b> M2 for sin and $\frac{\sqrt{"21.36"}}{9.5}$ following correct Pythagoras<br><br><b>or</b> M2 for tan and $\frac{\sqrt{"21.36"}}{8.3}$ following correct Pythagoras<br><br><b>or</b> correct Pythagoras and then correct use of sine or cosine rule with "21.36"<br><br>A1 for awrt 29.1, e.g. (29.1103...) |



National performance data from Results Plus

| Original source of questions |         |       |         |      | Mean score of students achieving grade: |           |                   |      |      |      |      |      |
|------------------------------|---------|-------|---------|------|---|-----------|-------------------|------|------|------|------|------|
| Qn                           | Spec    | Paper | Session | Qn   | Topic                                   | Max score | ALL               | C    | D    | E    | F    | G    |
| 1                            | 1MA0    | 2F    | 1506    | Q02  | Properties of 2D shapes                 | 2         | 1.63              | 1.87 | 1.78 | 1.70 | 1.59 | 1.42 |
| 2                            | 1MA0    | 2F    | 1506    | Q08  | Time calculations                       | 6         | 5.31              | 5.84 | 5.75 | 5.61 | 5.37 | 4.88 |
| 3                            | 1MA0    | 2F    | 1406    | Q12  | Decimals                                | 6         | 4.99              | 5.83 | 5.72 | 5.54 | 5.18 | 4.44 |
| 4                            | 5MM2    | 2F    | 1311    | Q08  | Derive expressions                      | 3         | 2.53              | 2.88 | 2.87 | 2.86 | 2.10 | 1.70 |
| 5                            | 1MA0    | 2F    | 1411    | Q07  | Directed numbers                        | 4         | 3.38              | 3.73 | 3.60 | 3.37 | 3.03 | 2.54 |
| 6                            | 1380    | 2F    | 1011    | Q14  | Ratio                                   | 3         | 2.16              | 2.77 | 2.52 | 2.03 | 1.21 | 0.51 |
| 7                            | 1380    | 2F    | 1006    | Q03b | Volume                                  | 1         | 0.77              | 0.89 | 0.81 | 0.76 | 0.69 | 0.51 |
| 8                            | 1380    | 2H    | 1011    | Q13  | Compound measures                       | 2         | 1.77              | 1.76 | 1.59 | 1.31 |      |      |
| 9                            | 4MA0(R) | 1F    | 1501    | Q08  | Expand expressions                      | 6         | 4.52              | 5.13 | 4.46 | 2.50 | 3.00 | 4.00 |
| 10                           | 5AM2    | 2F    | 1206    | Q13  | Angles                                  | 3         | 1.39              | 2.12 | 1.40 | 0.91 | 0.50 | 0.58 |
| 11                           | 5MM2    | 2F    | 1111    | Q10  | Ratio                                   | 4         | 2.14              | 2.70 | 2.47 | 1.94 | 1.48 | 1.24 |
| 12                           | 1MA0    | 2H    | 1406    | Q10  | Index laws                              | 4         | 2.87              | 2.69 | 1.78 | 0.77 |      |      |
| 13                           | 1MA0    | 2F    | 1311    | Q09  | Conversions                             | 3         | 0.88              | 1.82 | 1.04 | 0.60 | 0.25 | 0.11 |
| 14                           | 1380    | 2F    | 1106    | Q19  | Graphs of linear equations              | 3         | 0.55              | 1.56 | 0.63 | 0.17 | 0.03 | 0.01 |
| 15                           | 5AM2    | 2F    | 1206    | Q18  | Sample space diagrams                   | 5         | 1.95              | 2.43 | 2.00 | 1.78 | 1.26 | 1.20 |
| 16                           | 1380    | 2H    | 1106    | Q18  | Solve quadratic equations               | 6         | 2.66              | 1.11 | 0.35 | 0.10 |      |      |
| 17                           | NEW     |       |         |      | Error intervals                         | 2         | No data available |      |      |      |      |      |
| 18                           | 5AM2    | 2H    | 1211    | Q12  | Ratio                                   | 6         | 3.10              | 2.40 | 1.87 | 0.43 |      |      |
| 19                           | 2MB01   | 2H    | 1406    | Q07  | Angles and parallel lines               | 4         | 2.25              | 1.96 | 1.08 | 0.52 |      |      |
| 20                           | 5AM2    | 2F    | 1106    | Q20  | Probability tree diagrams               | 4         | 0.59              | 1.00 | 1.22 | 0.50 | 0.62 | 0.17 |
| 21                           | 4MA0    | 1H    | 1305    | Q10  | Trigonometry                            | 3         | 2.71              | 2.14 | 1.23 | 0.41 |      |      |
|                              |         |       |         |      |   | 80        |                   |      |      |      |      |      |