

Paper 1MA1: 2H			Notes		
Question	Working	Answer			
1		96	P1	a strategy to start to solve the problem eg $18 \div (7 - 4)$ (=6)	
			P1	for completing the process of solution eg “6” $\times (4 + 5 + 7)$	
			A1	cao	
2		20.9	M1	correct recall of appropriate formula eg $\sin x = \frac{5}{14}$	
			A1	for 20.9(248...)	
3	(a)	$4n+2$	M	start to deduce nth term from information given eg $4n+k$ where $k \neq 2$	
			A1	cao	
			M1	starts method that could lead to a deduction eg uses inverse operations	
			C1	for a convincing argument eg 34 is 107 so NO; $(108-5) \div 3$ is not an integer	
4		conclusion (supported)	P1	$30 \div 70$ (=0.428)	$26 \div 60$ (=0.4333...)
			P1	$60 \times$ “0.428...”	$70 \times$ “0.4333...”
			C1	for conclusion linked to 25.7 mins, 30.3 miles or 69.2 mph	

Paper 1MA1: 2H				
Question	Working	Answer	Notes	
5 (a) (b)		$22 \leq f < 24$	B1	
		21.9	M1	$x \times f$ using midpoints
			M1	(dep on previous mark) " $x \times f$ " $\div 40$
			A1	accept 22 if working seen
6		9.54	P1	$10^2 - 5^2 (=75)$
			P1	"75" $+ 4^2 (=91)$
			P1	$\sqrt{(10^2 - 5^2 + 4^2)}$
			A1	9.53 – 9.54
7 (a) (b) (c)		(1, 4)	B1	
		-0.4, 2.4	B1	
		3.75	B1	accept 3.7 – 3.8
8		6 : 2 : 1	M1	for correct interpretation of any one statement eg. 3 : 1; 1 : 0.5
			A1	accept any equivalent ratio eg. 3 : 1 : 0.5

Paper 1MA1: 2H			Notes	
Question	Working	Answer		
9		203	P1	translate into algebra for rectangle: $4x+4x+3x+4+3x+4$ ($=14x+8$) or for trapezium: $5x+5x+x-3+7x-3$ ($=18x-6$)
			P1	equating: eg $18x-6=14x+8$ ($4x=14$)
			A1	solving for x: $x=14/4 = 3.5$ oe
			P1	process to find area: " 3.5 " $\times$ $3+4$ (ft) or " 3.5 " $\times$ 4 ft
			A1	cao
10 (a)		1.8%	P1	for start to process eg. 2000×1.025 ($=2050$)
			P1	for process to use all given information eg " 2050 " $\times$ $m^2 = 2124.46$ or " 2050 " $\times$ $\left(1 + \frac{x}{100}\right)^2 = 2124.46$
			P1	for process to find their unknown eg $m = \sqrt{\frac{2124.46}{2050}}$ ($= 1.01799...$)
			A1	for $1.79\% - 1.8\%$
(b)		200	M1	$225 \div 1.125$ oe
			A1	

Paper 1MA1: 2H			Notes	
Question	Working	Answer		
11		29°	C1	angle $OTP = 90^\circ$, quoted or shown on the diagram
			M1	method that leads to $180 - (90 + 32)$ or 58 shown at TOP OR that leads to 122 shown at SOT
			M1	complete method leading to " $58 \div 2$ or $(180 - "122") \div 2$ or 29 shown at TSP
			C1	for angle of 29° clearly indicated and appropriate reasons linked to method eg angle between <u>radius</u> and <u>tangent</u> = 90° and sum of <u>angles</u> in a <u>triangle</u> = 180° ; <u>ext angle</u> of a <u>triangle</u> <u>equal</u> to sum of <u>int opp angles</u> and <u>base angles</u> of an <u>isos triangle</u> are <u>equal</u> or <u>angle</u> at <u>centre</u> = $2 \times$ <u>angle</u> at <u>circumference</u> or <u>ext angle</u> of a <u>triangle</u> <u>equal</u> to sum of <u>int opp angles</u>
12		0.4, 0.6	B1	correctly placing probs for light A eg 0.4, 0.6
(a)		0.3, 0.7, 0.8, 0.2	B1	correctly placing probs for light B eg 0.3, 0.7, 0.8, 0.2
(b)		B with correct probabilities	P1	(ft) eg 0.4×0.3 or 0.6×0.8 or $1 - (0.28 + 0.12)$
			P1	both sets of correct probability calculations
			C1	Correct interpretation of results with correct comparable results
13		20	M1	Establishing method linked to proportion eg $d = k \div c$ or $25 = k \div 280$
			M1	(dep) substitution eg $d = 7000 \div 350$ or $25 \times 280 \div 350$ oe
			A1	cao

Paper 1MA1: 2H			
Question	Working	Answer	Notes
14	$ \begin{aligned} &(4n^2+2n+2n+1) \\ &\quad - (2n+1) = \\ &4n^2+4n+1-2n-1 \\ &= 4n^2 + 2n \\ &= 2n(2n + 1) \end{aligned} $	proof (supported)	M1 for 3 out of 4 terms correct in the expansion of $(2n + 1)^2$ or $(2n + 1) \{ (2n + 1) - 1 \}$ P1 for $4n^2 + 2n$ or equivalent expression in factorised form C1 for convincing statement using $2n(2n + 1)$ or $2(2n^2 + n)$ or $4n^2 + 2n$ to prove the result
15		$\frac{23}{90}$	M1 For a fully complete method as far as finding two correct decimals that, when subtracted, give a terminating decimal (or integer) and showing intention to subtract eg $x = 0.2\dot{5}$ so $10x = 2.5\dot{5}$ then $9x = 2.3$ leading to... A1 correct working to conclusion
16		$\frac{2x+1}{3x+5}$	M1 for $(3x \pm 5)(2x \pm 1)$ or $(2x + 1)(2x - 1)$ M1 $\frac{1}{(3x \pm 5)(2x \pm 1)} \times (2x + 1)(2x - 1)$ A1
17		4.89	M1 $\frac{40}{360} \times 2 \times \pi \times 7$ oe A1 4.8 – 4.9

Paper 1MA1: 2H			
Question	Working	Answer	Notes
18		0.229 With Explanation	B1 Finding bound of s: 3.465 or 3.475 or 3.474999... or Finding bound of t: 8.1315 or 8.1325 or 8.132499... P1 Use of "upper bound" and "lower bound" in equation P1 Process of choosing correct bounds eg $\frac{\sqrt{3.475}}{8.1315}$ or $\frac{\sqrt{3.465}}{8.1325}$ A1 For 0.2292... and 0.2288.. from correct working C1 For 0.229 from 0.2292.. and 0.2288.. since both LB and UB round to 0.229
19		Sketch	P1 Parabola passes through all three of the points (0, 4), (2, 0), (4, 4)
(a)		Sketch	P1 Parabola passes through all three of the points (-4, -1), (-2, 2), (0, -1)
(b)			
20		$x=0, y=5$ $x=-4, y=-3$	M1 Initial process of substitution eg $x^2 + (2x + 5)^2$ (=25) M1 for expanding and simplifying eg $x^2 + 4x^2 + 10x + 10x + 25$ (=25) M1 Use of factorisation or correct substitution into quadratic formula or completing the square to solve an equation of the form $ax^2 + bx + c = 0$, $a \neq 0$ A1 correct values of x or y C1 $x = 0$, $x = -4$, $y = 5$, $y = -3$ correctly matched x and y values

Paper 1MA1: 2H			Notes	
Question	Working	Answer		
21 (a)		130	P1	start to process eg draw a labelled triangle or use of sine rule $\frac{\sin Q}{8.7} = \frac{\sin 32}{5.2}$
			P1	process to find of Q eg $Q = \sin^{-1} \left[\frac{\sin 32}{5.2} \times 8.7 \right]$
			P1	process to find area of triangle PRQ .
			A1	22.5 – 22.6
(b)			C1	angle PRQ is obtuse so need to find area of two triangles.
22		1361	P1	process using similar triangles to find base of small cone eg. 4 cm used as diameter or 2 cm used as radius
			P1	process to find volume of one cone
			P1	complete process to find volume of frustum
			P1	complete process to find mass or 1360 – 1362
			A1	1361 or 1360 or 1400