

Paper 2 Higher

Question number	Answer	Mark
1(a)	C	(1)

Question number	Answer	Mark
1(b)(i)	change in GPE = mass \times gravitational field strength \times change in vertical height	(1)

Question number	Answer	Additional guidance	Mark
1(b)(ii)	transformation (1) $h = \Delta E \div mg$ substitution (1) $h = 39\,000 \div (580 \times 10)$ evaluation (1) 6.7 (m)	accept use of $g = 9.81$ accept 6.72 accept 6.85 (from $g = 9.81$)	(3)

Question number	Answer	Additional guidance	Mark
1(c)	An answer that combines the following points of application of knowledge and understanding to provide a logical description: <ul style="list-style-type: none"> work is done against friction (1) energy is stored in another specified way (1) 	ignore references to friction as energy store acceptable stores are: <ul style="list-style-type: none"> KE of water thermal energy of water thermal energy of air (G)PE of water 	(2)

Question number	Answer	Mark
2(a)(i)	pressure = force \div area	(1)

Question number	Answer	Additional guidance	Mark
2(a)(ii)	rearrangement (1) $(F =) P \times A$ calculation of area (1) $2.4 \times 1.5 = 3.6$ substitution (1) $(F =) 12\,000 \times 3.6$ answer (1) 43 200 (N)	award full marks for correct numerical answer without working maximum 3 marks if kPa not converted to Pa	(4)

Question number	Answer	Mark
2(a)(iii)	B	(1)

Question number	Answer	Additional guidance	Mark
2(b)	An explanation that combines identification via a judgement (1 mark) to reach a conclusion via justification/reasoning (2 marks): <ul style="list-style-type: none"> pressure in A is the highest and pressure in C is the lowest (pressure in B is between them) (1) pressure depends on depth of liquid (so) can compare A and C because same liquid (hence) pressure in A is twice that of C (1) pressure depends on density of liquid (so) can compare A and B since same depth hence pressure in A greater than pressure in B (1) 	allow a mathematical approach, i.e. calculating all three pressures from the relevant data	(3)

Question number	Answer	Additional guidance	Mark
3(a)	<ul style="list-style-type: none"> connect ammeter in series (with thermistor) (1) connect voltmeter in parallel (with thermistor) (1) reverse (connections for) one of the cells (1) 	allow idea that meters should be swapped for two marks (equivalent to first two points)	(3)

Question number	Answer	Additional guidance	Mark
3(b)(i)	<p>Any one of the following reasons:</p> <ul style="list-style-type: none"> the thermistor and the water are at the same temperature (1) large volume of water gives a steady temperature rise (1) 	<p>accept idea that only small part of thermometer would be in contact with a thermistor in air</p> <p>accept difficult to control change in temperature of thermistor when heated in air</p>	(1)

Question number	Answer	Additional guidance	Mark
3(b)(ii)	<p>Any one of the following developments to the procedure:</p> <ul style="list-style-type: none"> add ice to increase lower limit of temperature range (1) use liquid with higher boiling point to increase upper limit of temperature range (1) 	accept named liquid with higher boiling point, e.g. oil	(1)

Question number	Answer	Additional guidance	Mark
3(c)(i)	<p>A comparison and contrast that must include at least one similarity and one difference from the following points to a maximum of three marks:</p> <p>Similarities</p> <ul style="list-style-type: none"> resistance of both changes with temperature (1) both graphs show a non-linear relationship (1) data comparison, e.g. both have the same resistance at 80°C (1) 		(3)

	Differences <ul style="list-style-type: none"> resistance of A decreases with temperature but resistance of B increases with temperature (1) for A, (largest slope/rate of change) is at lower temperature but for B, (largest slope/rate of change) is at higher temperature(s) (1) for B, resistance is constant below 50°C but for A resistance is roughly constant above 60°C (1) 	accept (smallest slope/rate of change) for A is at higher temperature but (smallest slope/rate of change) for B is at lower temperature	
--	--	---	--

Question number	Answer	Mark
3(c)(ii)	B	(1)

Question number	Answer	Mark
4(a)(i)	The earth wire discharges the aircraft to prevent sparking which could ignite the fuel/cause a fire	(1)

Question number	Answer	Additional guidance	Mark
4(a)(ii)	An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark): <ul style="list-style-type: none"> friction between aircraft and air (1) causes electron transfer between aircraft and air (1) 	accept idea of air rubbing against wings ignore 'charge' and 'static' do not allow (for second mark) idea of protons moving	(2)

Question number	Answer	Additional guidance	Mark
4(b)	<p>Equating energy in both equations (1)</p> $E = \text{weight} \times \text{height} = \text{power} \times \text{time}$ <p>Rearrangement (1)</p> $\text{time} = \frac{(\text{weight} \times \text{height})}{\text{power}}$ <p>Substitution and evaluation (1)</p> $\text{time} = 230\,000 \times \frac{4.7}{1600}$ <p>time = 680 (s)</p>	<p>allow answers which round to 680, e.g. 675.6</p>	(3)

Question number	Answer	Mark
4(c)	<p>An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark):</p> <ul style="list-style-type: none"> (negatively charged) door attracts (positively charged) paint (droplets) (1) <p>Plus any one of the following:</p> <ul style="list-style-type: none"> therefore (positively charged) paint (droplets) follow lines of force and coat both sides of the car door (1) since electric field (or lines of force) directed towards the (car) door, then positive paint will move to the door (1) as electric field (or lines of force) touches all parts of the (car) door hence the positive paint will coat all parts of the door (1) 	(2)

Question number	Answer	Additional guidance	Mark
5(a)	<p>evidence that anomalous reading excluded (1)</p> <p>evaluation (1)</p> <p>average length = 20.31 (mm)</p>	<p>accept 101.57 (÷5) for first mark</p> <p>accept 20.314 (mm)</p>	(2)

Question number	Answer	Additional guidance	Mark
5(b)(i)	<ul style="list-style-type: none"> • Axes with linear scales that use more than half of each edge of the grid and labelled with units from table (1) • All points correctly plotted to \pm half a square (1) • Single straight line passing through all points and the origin (1) 	allow 1 mark if only one plotting error and correct line drawn for points plotted	(3)

Question number	Answer	Additional guidance	Mark
5(b)(ii)	<p>A comment that makes reference to the following points:</p> <p>(using table)</p> <ul style="list-style-type: none"> • idea that equal increments of force/weight/mass cause equal increments of extension (1) • correct reference to figures in the table (1) <p>OR</p> <p>(using graph)</p> <ul style="list-style-type: none"> • the graph line is straight (1) • the graph line passes through the origin (1) <p>AND</p> <p>therefore the student's conclusion is correct (1)</p>	last marking point can only be achieved if at least one of the other two marks is awarded	(3)

Question number	Answer	Additional guidance	Mark
5(c)	<p>An answer that combines points of interpretation/evaluation to provide a logical description:</p> <ul style="list-style-type: none"> • above 37.5 N/4 mm there are large increases of extension for small increases in load (1) • the maximum extension of the wire is about 16.5 mm before it breaks (1) • above 12 mm the wire keeps on extending when the load is reduced below 46 N (1) 	accept extension is (much) greater for each 1 N increase in load above 37.5 N	(3)

Question number	Answer	Mark
6(a)	D	(1)

Question number	Answer	Mark
6(b)	C	(1)

Question number	Answer	Additional guidance	Mark
6(c)(i)	<p>An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark):</p> <ul style="list-style-type: none"> • frictional forces increase as more trucks are added (1) <p>Plus one from:</p> <ul style="list-style-type: none"> • hence, in order to keep constant speed, the student must increase the force she applies to Z (1) • when Y and Z separate, the frictional forces (to the left) are more than magnetic attraction between Y and Z (1) 		(2)

Question number	Answer	Mark
6(c)(ii)	<p>An answer that combines the following points to provide a plan:</p> <ul style="list-style-type: none"> • use of a Newton meter used horizontally (1) • record largest force observed (1) • repeat readings several times under same conditions (1) 	(3)

Question number	Answer	Mark
6(c)(iii)	<p>An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark):</p> <ul style="list-style-type: none"> • the applied force must be resolved horizontally to determine the force that separates the engine from the trucks • and since the (size of) the resolved force is always less than the (size of) the actual force then a larger force (applied at an angle) is needed to separate the trucks from the engine 	(2)

Question number	Answer	Additional guidance	Mark
7(a)	<p>substitution into correctly rearranged equation (1)</p> $I = \frac{F}{B} \times l$ $= \frac{0.089}{0.47} \times 0.713$ <p>evaluation to 2 s.f. (1) current = 0.27 (A)</p>	give full marks for correct numerical answer without working	(2)

Question number	Answer	Additional guidance	Mark
7(b)	<p>Any three from:</p> <ul style="list-style-type: none"> • use a higher current as the force depends on the current (1) • use more/stronger/larger range of magnets (1) • use a force meter with smaller range, e.g. 0.00 to 0.01 (1) • use a longer distance from pivot to increase the moment of the force on the wire (1) 	<p>accept voltage for current</p> <p>add variable resistor (in series) with power supply</p> <p>accept use more sensitive force meter</p>	(3)

Question number	Answer	Mark
7(c)	<p>An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark):</p> <ul style="list-style-type: none"> • if the voltage changes sign, then the current is changing direction • so in Figure 21 the current is a.c. as the voltage is changing sign and in Figure 22 the current is d.c. as the voltage is always positive 	(2)

Question number	Answer	Additional guidance	Mark
7(d)	<p>An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (3 marks):</p> <ul style="list-style-type: none"> • the transmission wire carries an alternating current (1) • the force is caused by this current which varies in size and direction (1) • the direction of this force depends on the direction of the current so the direction of the force also changes (1) • the magnitude of this force depends on the magnitude of the current so the magnitude of the force also changes (1) 	<p>allow responses that link the changes in the force to the interaction of the changing field around the wire with the constant field of the Earth</p>	(4)

Question number	Answer	Additional guidance	Mark
8(a)	Rearrangement of equation (1) $Q = \frac{E}{V}$ Substitution including change of unit (1) 64 MJ = 64 000 000 J $Q = \frac{64\,000\,000}{330}$ Answer and unit (1) $Q = 190\,000$ (C)	allow answers that round to 190 000, e.g. 193 939 if the calculation is worked throughout without changing MJ to J, then maximum of 2 marks unless unit matches quantity	(3)

Question number	Answer	Additional guidance	Mark
8(b)	Rearrangement (1) $I = \frac{Q}{t}$ Conversions and substitution (1) 190 (kC) = 190 000 (C) 8 hours = 8 × 3600 (s) = 28 800 (s) $I = \frac{190\,000}{28\,800}$ Evaluation (1) = 6.6 (A)	ecf from (a) (6.5972) if 193 939 used then accept 6.7	(3)

Question number	Indicative content	Mark
*8(c)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p style="text-align: center;">AO1 (6 marks)</p> <ul style="list-style-type: none"> the sequence of events is voltage change, conversion to direct current, followed by current limiting the battery is the load in the secondary circuit, not a store of energy for the primary circuit a transformer is needed to increase (or step up) the voltage so a diode is needed to change a.c. to d.c. the charging current can be limited to 15 A using a fuse (or circuit breaker) a circuit breaker may be preferable to a fuse, since a fuse would need to be replaced after use the transformer primary coil is connected between the live and neutral in the primary circuit the diode is connected in the secondary circuit of the transformer the battery(which is to be charged), diode, fuse and secondary coil should be connected in series in the secondary circuit 	(6)

Level	Mark	Descriptor
	0	No awardable content.
Level 1	1–2	<ul style="list-style-type: none"> Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1) Presents an explanation with some structure and coherence. (AO1)
Level 2	3–4	<ul style="list-style-type: none"> Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1) Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)
Level 3	5–6	<ul style="list-style-type: none"> Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1) Presents an explanation that has a well-developed structure which is clear, coherent and logical. (AO1)

Question number	Answer	Mark
9(a)	B	(1)

Question number	Answer	Additional guidance	Mark
9(b)	Rearrangement (1) $V_2 = (p_1 \times V_1) \div p_2$ Substitution (1) $V_2 = (297 \times 10^3 \times 23.0) \div (101 \times 10^3)$ Evaluation (1) $V_2 = 67.6 \text{ (cm}^3\text{)}$	67.633	(3)

Question number	Answer	Mark
9(c)	<p>An answer that combines the following points to provide a logical description of the plan:</p> <p>EITHER</p> <ul style="list-style-type: none"> • (determine upthrust) by adding weights until the block of wood is fully immersed and recording the load required (1) • calculate upthrust by adding load and weight of block (1) <p>OR</p> <ul style="list-style-type: none"> • (determine the weight of water displaced) by using a ruler to measure the dimensions of the block and multiplying them together to find the volume (1) • calculate the weight of water from volume \times density $\times g$ (1) 	(2)

Question number	Indicative content	Mark
*9(d)	<p>Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.</p> <p>The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.</p> <p style="text-align: center;">AO1 (3 marks)</p> <ul style="list-style-type: none"> upthrust is the force on the submarine in the water (submerged) in a fluid upthrust on the submarine and its weight act in opposite directions upthrust is equal to the weight of water displaced by the submarine the difference in pressures on the upper and lower surfaces of the submarine causes the upthrust <p style="text-align: center;">AO2 (3 marks)</p> <ul style="list-style-type: none"> the volume of the submarine is fixed so the upthrust on the submarine is constant increasing/decreasing volume of water in tanks increases/decreases weight of submarine but does not affect upthrust if weight increases to become greater than upthrust there is a resultant downward force on the submarine so the submarine sinks if weight decreases to become less than upthrust there is a resultant upward force on the submarine so the submarine rises 	(6)

Level	Mark	Descriptor
	0	No awardable content.
Level 1	1–2	<ul style="list-style-type: none"> Demonstrates elements of physics understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1) The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2)
Level 2	3–4	<ul style="list-style-type: none"> Demonstrates physics understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1) The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2)
Level 3	5–6	<ul style="list-style-type: none"> Demonstrates accurate and relevant physics understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1) The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of

		the question. (AO2)
Question number	Answer	Mark
10(a)(i)	C	(1)

Question number	Answer	Additional guidance	Mark
10(a)(ii)	<p>Equating the same variable in both equations (1)</p> $\Delta Q = m \times c \times \Delta\theta = P \times t$ <p>Rearrangement (1)</p> $t = \frac{m \times c \times \Delta\theta}{P}$ <p>Substitution and evaluation (1)</p> $t = \frac{(1 \times 4200 \times 77)}{3500}$ $= 92 \text{ s}$	<p>allow $\Delta\theta$ seen as 95 – 18</p> <p>92.4 evaluation must be seen to at least 2 s.f. at some point in the working</p>	(3)

Question number	Answer	Additional guidance	Mark
10(b)(i)	<p>An answer that combines the following points of understanding to provide a logical description:</p> <ul style="list-style-type: none"> when steam condenses, its molecules move closer together, so the internal energy decreases (1) when the water from the condensed steam cools, its molecules move more slowly, therefore storing less kinetic energy (1) 	allow as water cools, the distance between the particles decreases which increases the intermolecular forces	(2)

Question number	Answer	Additional guidance	Mark
10(b)(ii)	<p>equating the variables in the three equations/principle of conservation of energy (1)</p> $(m_w \times l_w) + (m_w \times c_w \times \Delta\theta_w) = (m_m \times c_m \times \Delta\theta_m)$ <p>rearrangement (1)</p> $m_m = \frac{(m_w \times l_w) + (m_w \times c_w \times \Delta\theta_w)}{(c_m \times \Delta\theta_m)}$ <p>substitution of correctly calculated quantities (1)</p> $= \left(\frac{\left(\left(\frac{25}{1000} \right) \times 2260000 \right) + \left(\left(\frac{25}{1000} \right) \times 4200 \times 35 \right)}{3840 \times 60} \right)$ <p>evaluation (1)</p> <p>0.26 (kg)</p>	<p>allow in words or with suitable alternative subscripts</p> <p>temperature changes and l_w must be correct</p> <p>allow maximum of 3 marks for calculations that omit the energy from cooling of water</p>	(4)

Question number	Answer	Mark
10(b)(iii)	<p>Any two of the following reasons:</p> <ul style="list-style-type: none"> more steam must condense and transfer the energy that is dissipated to the jug during the process (1) more steam must condense and transfer the energy that is dissipated to the surroundings during the process (1) more steam must condense and transfer the energy needed to cause the milk to froth (1) more steam must condense to replace any steam that might leave the milk without condensing (1) 	(2)